

Diagnostic étiologique des bactériémies

Gilbert Greub

Références

1. Li J, Plorde JJ, Carlson LG.
Effects of volume and periodicity on blood cultures.
J Clin Microbiol. 1994 Nov;32(11):2829-31.
2. Weinstein MP, Mirrett S, Van Pelt L, McKinnon M, Zimmer BL, Kloos W, Reller LB.
Clinical importance of identifying coagulase-negative staphylococci isolated from blood cultures : evaluation of MicroScan Rapid and Dried Overnight Gram-Positive panels versus a conventional reference method.
J Clin Microbiol. 1998 Jul;36(7):2089-92.
3. Croxatto A, Prod'hom G, Durussel C, Greub G.
Preparation of a blood culture pellet for rapid bacterial identification and antibiotic susceptibility testing.
J Vis Exp. 2014 Oct 15;(92):e51985.
4. Prod'hom G, Bizzini A, Durussel C, Bille J, Greub G.
Matrix-assisted laser desorption ionization-time of flight mass spectrometry for direct bacterial identification from positive blood culture pellets.
J Clin Microbiol. 2010 Apr;48(4):1481-3.
5. Prod'hom G, Durussel C, Blanc D, Croxatto A, Greub G.
Early detection of extended-spectrum β -lactamase from blood culture positive for an Enterobacteriaceae using β LACTA test.
New Microbes New Infect. 2015 Jun 9;8:1-3.
6. Prod'hom G, Durussel C, Greub G.
A simple blood-culture bacterial pellet preparation for faster accurate direct bacterial identification and antibiotic susceptibility testing with the VITEK 2 system.
J Med Microbiol. 2013 May;62(Pt 5):773-7.
7. Paul M, Greub G.
The hidden killer: are we improving the management of bacteremia?
Clin Microbiol Infect. 2015 Apr;21(4):291-4.
8. Drancourt M.

Detection of microorganisms in blood specimens using matrix-assisted laser desorption ionization time-of-flight mass spectrometry: a review.

Clin Microbiol Infect. 2010 Nov;16(11):1620-5

9. Opota O, Croxatto A, Prod'hom G, Greub G.

Blood culture-based diagnosis of bacteraemia: state of the art.

Clin Microbiol Infect. 2015 Apr;21(4):313-22.

10. Clerc O, Prod'hom G, Vogne C, Bizzini A, Calandra T, Greub G.

Impact of matrix-assisted laser desorption ionization time-of-flight mass spectrometry on the clinical management of patients with Gram-negative bacteremia: a prospective observational study.

Clin Infect Dis. 2013 Apr;56(8):1101-7.

11. Clerc O, Prod'hom G, Senn L, Jaton K, Zanetti G, Calandra T, Greub G.

Matrix-assisted laser desorption ionization time-of-flight mass spectrometry and PCR-based rapid diagnosis of *Staphylococcus aureus* bacteraemia.

Clin Microbiol Infect. 2014 Apr;20(4):355-60.

12. Opota O, Jaton K, Greub G.

Microbial diagnosis of bloodstream infection: towards molecular diagnosis directly from blood.

Clin Microbiol Infect. 2015 Apr;21(4):323-31.

13. Stupar P, Opota O, Longo G, Prod'hom G, Dietler G, Greub G, Kasas S.

Nanomechanical sensor applied to blood culture pellets: a fast approach to determine the antibiotic susceptibility against agents of bloodstream infections.

Clin Microbiol Infect. 2017 Jan 3. pii: S1198-743X(16)30660-7. doi:

10.1016/j.cmi.2016.12.028. [Epub ahead of print]